



EKSELANS BY ITS

# VIDEk

2 WIRES VIDEO DOOR  
ENTRY SYSTEM WITH  
MIFARE RFID ACCESS  
CONTROL




ENTER THE EK WORLD


# 2 WIRES VIDEO DOOR ENTRY SYSTEM WITH MIFARE RFID ACCESS CONTROL



## General features



Non-polarized 2 wires system



Digital outdoor panel in stainless steel with high quality color camera



Auto-adjusting light sensor




Compatible with outdoor door lock



LCD display with simple and intuitive directory



Audio call volume adjustment on monitor



Up to 4 outdoor panels and up to 32 users (64 indoor units max)




Monitoring function. Possible to watch the street without prior call.




Easy to install and to program




Integrated MIFARE access control



Parallel or series installation option



It can be used as replacement using existing cabling




SD card slot




Additional CCTV cameras option



OUTDOOR PANEL  
(PCD E) WITH PLASTIC  
FRAME FOR SURFACE  
MOUNTING



HANDS-FREE 4,3"  
COLOR DISPLAY  
INDOOR UNIT



HANDS-FREE  
AUDIO INDOOR  
UNIT



## Outdoor panel





**SURFACE OR FLUSH  
MOUNTING OPTIONS**

**SURFACE  
MOUNTING**

**FLUSH  
MOUNTING**





## MON 43V Monitor

---



- ✓ High quality 4,3" color display
- ✓ Hands-free
- ✓ Outdoor monitoring using the outdoor panel camera
- ✓ Outdoor monitoring using the outdoor panel camera

## Interfono UAD

---



- ✓ Audio call intercom
- ✓ Hands-free
- ✓ Capacitive touch keyboard
- ✓ Wall mounting support included

## PFA 2420 Power supply



- ✓ 2 wires BUS system power supply
- ✓ Central system power supply.  
PCD-E outdoor panel and DPL-4/  
DPL-4F splitters intercom module

## DPL-4/DPL-4F splitters



- ✓ 4 outputs floor splitters
- ✓ cascable and terminal models
- ✓ Splitting isolation and electrical protection for all apartment systems in the building
- ✓ Use DPL-4F terminal splitter as last splitter to close the line

## Accessories

<b>CE PCD</b>	Flush box for PCD E
<b>VE-AI</b>	Stainless steel protective frame for PCD E outdoor panel
<b>VPS</b>	Protective plastic box for surface mounted PCD E outdoor panel
<b>RF KEY</b>	Mifare type RFID key
<b>CVP 2</b>	2-wire cable 0.5mm <sup>2</sup> . 250m reel. Floor wiring
<b>CVP 2-1,5</b>	2-wire cable 1.5mm <sup>2</sup> . 200m reel. Long distances wiring



**CE PCD**



**VE-AI**



**VPS**




**RF KEY**



**CVP2  
CVP 2-1,5**



## Examples of installation schemes





**EKSELANS BY ITS**

**EKSELANS by ITS**

**ITS Partner O.B.S. S.L**

Av. Cerdanyola 79-81 Local C

08172 Sant Cugat del Vallès

Barcelona (España)

Tel: +34 93 583 95 43

[info@ek.plus](mailto:info@ek.plus)

[www.ek.plus](http://www.ek.plus)