



EKSELANS BY ITS

USER MANUAL

MU CAST

280098

Universal remote control setup for TV,
CAST device (CRP 4K)

V01

INDEX

INTRODUCTION:.....	3
Packaging Contents:.....	3
SETTING UP THE REMOTE CONTROL:.....	4
CLONING PROCESS:.....	9
MANAGEMENT OF CLONED CONFIGURATIONS:.....	11

INTRODUCTION:

The ruwido direct app allows users to set up and/or clone remote controls connected to their mobile devices. This manual guides you through the process of configuring/cloning a remote control, from accessing the feature to managing the cloned configurations.

Packaging Contents:

1. Remote control
2. 2 AAA batteries

SETTING UP THE REMOTE CONTROL:


Download the app from the Google Play Store or the Apple App Store.
Install the Ruwido App on a device with Bluetooth activated and an Internet connection.





Google Play Store







App Store Apple




Open the app and press OK on the remote control until the LED flashes.



	<p>The remote will connect with the phone.</p>
	<p>When you continue, a screen will appear to select the TV whose remote control you want to incorporate into the Ruwido remote control.</p> <p>If there are any settings already saved, clone option will also appear.</p>



	<p>Selecting the option to configure the TV remote control will bring up this screen. Once selected, a list of the different TV manufacturers will be displayed.</p>
	<p>We will choose the brand of the TV so that the different remote control codes related to the chosen manufacturer are downloaded.</p>

	<p>Once the TV has been selected, different remote control configurations will be loaded sequentially.</p> <p>The App will ask you to try a key to see if it is the correct one. If not, another configuration will be loaded until the correct one is found.</p>
	



	<p>Then with "done" the configuration will be saved. There is also the option to save this configuration to clone it in successive remote controls.</p>
---	---


CLONING PROCESS:

		<p>Step 1: Access the settings screen</p> <p>Once the remote has successfully connected to the app, check if it supports cloning. If cloning is available, a button labeled Save/Load Settings will appear below the device information. Click the Save/Load Settings button. This will take you to the screen where the saved settings are listed, if available.</p>
		<p>Step 2: Clone the remote control</p> <p>If no settings are saved, or if you want to create a new clone, tap the Clone Remote button at the bottom of the screen.</p>

		<p>Step 3: Enter the name of the settings</p> <p>A dialog box will appear asking you to enter a name for the settings. Once the name is entered, press Save.</p>
		<p>Step 4: Save Settings</p> <p>It will take a few seconds for the app to clone itself and save the settings. After saving, the newly created configuration will appear in the list.</p>

MANAGEMENT OF CLONED CONFIGURATIONS:

	<p>Step 6: Load a Configuration</p> <p>To reload a saved configuration onto the remote control, tap the Load icon next to the configuration name.</p>
	<p>Step 7: Rename a Configuration (available in the next version)</p> <p>If you need to rename a configuration, tap the pencil icon next to it. A dialog box will open where you can update the name by deleting the old one, entering the new name, and clicking Save.</p>

 <p>The screenshot shows a mobile app interface. At the top, it says 'store/load config'. Below that, there's a configuration entry 'ne1' with three red icons: a pencil (edit), an upload arrow (upload), and a trash can (delete). At the bottom, there's a red button labeled 'clone remote control' and a text link 'back to the start'.</p>	<p>Step 8: Delete a Configuration</p> <p>To delete a configuration, swipe left on the configuration name. A delete option will appear, allowing you to remove the saved configuration.</p>
---	---